

Part Number: 08-ANT-0908ST

model number: 08-ANT-0908ST

product description: Omni Directional DAS Outdoor UHF VHF Antenna

Electrical Data Environmental Data

frequency range:	Various 12MHz Bandwidth	environmental cond.:	Outdoor
gain:	3dBi	operation temperature:	-40 to 85 deg C
vswr:	2.0:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Omni-Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Full	IP Rating:	IP67
ground plane:	Built In	Rohs - Reach	Compliant
min ground plane :	N/A		


General Data Mechanical Data

color:	Black or White	length:	4.75 in
antenna feeds:	One	width:	4.75 in
coax length:	Various	height:	5.75 in
coax type:	Low Loss 200 Series	mounting type:	Surface
connector type:	High Frequency NMO	hardware included:	Nut and Washer
	Mount	weight:	7 oz
polarization:	Multi-Polarized		
power:	50 Watts Input	* With built in spatial and polarization diversity, performance in obstructed environments is	
impedance:	50 ohms Nominal		
construction:	UV Stabilized ASA	greater than that of standard antennas with similar or higher laboratory gains.	



440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com







Part Number: 08-ANT-0908ST

model number: 08-ANT-0908ST

product description: Omni Directional DAS Outdoor UHF VHF Antenna

Frequency: Various 12MHz Bandwidth

Max Gain: 3dBi

