

Part Number: 08-ANT-0922 model number: 08-ANT-0922

product description: 870-999MHz Mobile Omni Directional Antenna

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

## **Electrical Data**

## **Environmental Data**


frequency range:	870-999MHz	environmental cond.:	Outdoor
gain:	5.2dBi	operation temperature:	-40 to 85 deg C
vswr:	<1.6:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Omni-Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Hemispheric	IP Rating:	IP67
ground plane:	Not Included	RoHS - REACH	Compliant
min ground plane:	N/A		

## **General Data**

## **Mechanical Data**

color:	Black or White	length:	4.5 in
antenna feeds:	One	width:	4.5 in
coax length:	N/A	height:	4 in
coax type:	N/A	mounting type:	Surface
connector type:	N-Female	hardware included:	Nut and Washer
polarization:	Multi-Polarized	weight: 8 oz	
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.	
construction:	UV Stabilized ASA		







Part Number: 08-ANT-0922

model number: 08-ANT-0922

product description: 870-999MHz Mobile Omni Directional Antenna

Frequency: 935MHz Max Gain: 5.2dBi

