

Part Number: 08-ANT-0938

model number: 08-ANT-0938

product description: 700-2700MHz Outdoor 60-Degree Directional Antenna

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

Electrical Data

Environmental Data


frequency range:	700-2700MHz	environmental cond.:	Outdoor
gain:	12dBi	operation temperature:	-40 to 85 deg C
vswr:	<1.5:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Directional	IP Rating:	IP67
ground plane:	Built In	RoHS - REACH	Compliant
min ground plane:	N/A		

General Data

Mechanical Data

color:	Black or White	length:	28 in
antenna feeds:	One	width:	11 in
coax length:	Various	height:	10 in
coax type:	Low Loss 200 Series	mounting type:	Connector
connector type:	N-Female	hardware included:	Mast Mount Bracket
polarization:	Multi-Polarized	weight:	3.5 lbs
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.	
construction:	UV Stabilized ASA		







MP Antenna, LTD. 147 Eady Court

440.387.5968 phone 440.545.3500 fax Elyria, Ohio 44035 www.mpantenna.com sales@mpantenna.com

Part Number: 08-ANT-0938 model number: 08-ANT-0938

product description: 700-2700MHz Outdoor 60-Degree Directional Antenna

Frequency: 700-2700MHz

Max Gain: 12dBi

