

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

Part Number: 08-ANT-0947

model number: 08-ANT-0947 product description: 5GHz Omni Directional WiFi Antenna

| Electrical Data | | Environmental Data | |
|--------------------------|------------------|---------------------------|-----------------|
| frequency range: | 5.15-5.9GHz | environmental cond.: | Outdoor |
| gain: | 4dBi | operation temperature: | -40 to 85 deg C |
| vswr: | <1.5:1 | storage temperature: | -40 to 85 deg C |
| horizontal pattern type: | Omni Directional | transport temperature: | -40 to 85 deg C |
| vertical patter type: | Hemispheric | IP Rating: | IP67 |
| ground plane: | Not Included | Rohs - Reach | Compliant |
| min ground plane : | N/A | | |
| | | | |

General Data

Mechanical Data

| color: | Black or White | length: | 2.5 in |
|-----------------|--------------------|---------------------------|--------------------------|
| antenna feeds: | One | width: | 2.5 in |
| coax length: | N/A | height: | 1.75 in |
| coax type: | N/A | mounting type: | NMO Mount |
| connector type: | High Frequency NMO | hardware included: | Antenna Only |
| | Mount | weight: | 2.0 oz |
| polarization: | Multi-Polarized | | |
| power: | 50 Watts Input | * With built in spatial a | nd polarization diversit |
| impedance: | 50 ohms Nominal | performance in obs | tructed environments is |

* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.



re**think** the antenna[™]

construction: UV Stabilized ASA

MP Antenna reserves the right to change product information and specifications without notice. Responsibility for the use and application of MP Antenna products rests with the end user since MP Antenna cannot be aware of all potential uses. MP Antenna makes no warranties as to the fitness, merchantability, or suitability of any MP Antenna products for any specific or general uses. MP Antenna shall not be liable for incidental or consequential damages of any kind.* MP Antenna products and technology are protected under one or more of the United States Patents 6,496,152 6,806,841 7,030,831 7,138,956 7,236,129 7,348,933 7,791,555 7,916,097 D,623,633 D,634,308 and other United States and Foreign patents applied for.

| FREQUENCY RAN | IGE COLOR | | | |
|---|--------------------------------------|--|--------------------------------|---------------------------|
| 5.15-5.99 GHz | z Black | | | 2200 |
| | | SKET | | NCY PIN STYLE NMO MOUNT |
| MP ANTENNA, LTD. 147 Eady Court Elyria, OH 44035 www.mpantenna.com | THIRD ANGLE DIMENSIONS ARE IN INCHES | PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MP ANTENNA, LTD. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MP ANTENNA LTD IS PROHIBITED. | DESCRIPTION: 5 GHz OMNI NMO | PART NO. 08-ANT-0947-B |





MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035 Sales@mpantenna.com

Part Number: 08-ANT-0954

model number: 08-ANT-0954 product description: 700MHz-6GHz Wideband Mobile NMO Cellular Antenna

Frequency: 5.8GHz Max Gain: 4dBi





re**think** the antenna[™]

MP Antenna reserves the right to change product information and specifications without notice. Responsibility for the use and application of MP Antenna products rests with the end user since MP Antenna cannot be aware of all potential uses. MP Antenna makes no warranties as to the fitness, merchantability, or suitability of any MP Antenna products for any specific or general uses. MP Antenna shall not be liable for incidental or consequential damages of any kind.* MP Antenna products and technology are protected under one or more of the United States Patents 6,496,152 6,806,841 7,030,831 7,138,956 7,236,129 7,348,933 7,791,555 7,916,097 D,623,633 D,634,308 and other United States and Foreign patents applied for.