

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

Part Number: 08-ANT-0985

model number: Various

product description: 4.9-6GHz Omni Mobile WiFi Antenna

## **Electrical Data**

## **Environmental Data**

frequency range:	4.9-6GHz	environmental cond.:	Outdoor
gain:	3dBi	operation temperature:	-40 to 85 deg C
vswr:	<1.6:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Omni Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Full	IP Rating:	IP67
ground plane:	Built In	Rohs - Reach	Compliant
min ground plane:	N/A		

## **General Data**

## **Mechanical Data**

color:	Black or White	length:	1.0 in
antenna feeds:	One	width:	1.0 in
coax length:	N/A	height:	1.0 in
coax type:	N/A	mounting type:	Connector
connector type:	Various	hardware included:	N/A
polarization:	Multi-Polarized	weight: 1.0 oz	1.0 oz
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.	
construction:	UV Stabilized ASA		





440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com




Part Number: 08-ANT-0985


model number: Various

product description: 4.9-6GHz Omni Mobile WiFi Antenna

Frequency: 4.95GHz Max Gain: 3dBi



Frequency: 5.15GHz Max Gain: 3dBi






Part Number: 08-ANT-0985

model number: Various

product description: 4.9-6GHz Omni Mobile WiFi Antenna

Frequency: 5.8GHz Max Gain: 3dBi



MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com