

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

Model: Dual Feed Outdoor Mobile MIMO Antenna

item part number: 08-ANT-1020

product description: 700MHz-3GHz Dual SMA Male Connectors

Electrical Data

Environmental Data

frequency range:	700MHz-3GHz	environmental cond.:	Outdoor/Indoor
gain:	6dBi*	operation temperature:	-40 to 85 deg C
vswr:	<2:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Omni Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Hemispheric	IP Rating:	IP67
ground plane:	Built In	Rohs - Reach	Compliant
min ground plane:	N/A		


General Data

Mechanical Data

color:	Black	length: 6.10 in	
antenna feeds:	Two	width: 6.10 in	
coax length:	N/A	height: 4.10 in	
coax type:	N/A	total height: See Drawing	
connector type:	Various	mounting type: Thru Hole	
polarization:	Multi-Polarized	hardware included: Nuts, Washer	
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization diversity,	
construction:	UV Stabilized Polymers	performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.	



FREQUENCY RANGE	CONNECTOR	MINIMUM MOUNTING HOLE DIAMETER	MAX MOUNTING HOLE DIAMETER	MAX MOUNTING SURFACE THICKNESS	COLOR	NUMBER OF FEEDS
700-2700 MHz	SMA MALE	0.76 INCHES	1.25 INCHES	0.75 INCHES	BLACK	2



NOTE: MOUNTING CUT NUT AND CUT WASHER INCLUDED

MP ANTENNA, LTD. 147 Eady Court Elyria, Ohio 44035 www.mpantenna.com

THIRD DIMENSIONS ARE IN INCHES				
	NAME	DATE		

3/10/23

BM

DRAWN

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF MP
ANTENNA, LTD. ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF MP ANTENNA
LTD IS PROHIBITED.

DESCRIPTION:

700-2700 MHz 2X MIMO ANTENNA

PART NO.

08-ANT-1020-BL-2X-B2




Model: Dual Feed Outdoor Mobile MIMO Antenna


Item part number: 08-ANT-1020

product description: 700MHz-3GHz Dual SMA Male Connectors

Frequency: 700-900 MHz

Max Gain: 6dBi








Model: Dual Feed Outdoor Mobile MIMO Antenna


item part number: 08-ANT-1020

product description: 700MHz-3GHz Dual SMA Male Connectors

Frequency: 800-2100 MHz

Max Gain: 6dBi







Model: Dual Feed Outdoor Mobile MIMO Antenna

item part number: 08-ANT-1020

product description: 700MHz-3GHz Dual SMA Male Connectors

Frequency: 2300-2600 MHz

Max Gain: 6dBi

