



MP Antenna, LTD.
147 Eady Court
Elyria, Ohio 44035

440.387.5968 phone
440.545.3500 fax
www.mpantenna.com
sales@mpantenna.com

Part Number: MP0923

model number: MP0923-1X-HD
product description: Impact Resistant 2.4GHz Omni Antenna

Electrical Data

frequency range: 2-3GHz	environmental cond.: Outdoor
gain: 6dBi *	operation temperature: -40 to 85 deg C
vswr: <1.5:1	storage temperature: -40 to 85 deg C
horizontal pattern type: Omni Directional	transport temperature: -40 to 85 deg C
vertical patter type: Hemispheric	IP Rating: IP67
ground plane: Built In	RoHS - REACH Compliant
min ground plane: N/A	

Environmental Data

General Data




color: Black	length: 5.5 in
antenna feeds: One	width: 5.5 in
coax length: N/A	height: 1.8 in
coax type: N/A	total height: 3.2 in
connector type: N-Female	mounting type: Surface Mount
polarization: Multi-Polarized	hardware included: Nuts and Washers
power: 50 Watts Input	
impedance: 50 ohms Nominal	
construction: Impact Resistant Delrin	

Mechanical Data

*** With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.**




Frequency Range	Max Mounting Surface Thickness	Recommended Mounting Hole Diameter	Color
2-3 GHz	0.60 Inches	0.65 Inches	Black



Note:
Mounting Hardware Included

MP ANTENNA, LTD.
147 Eady Court
Elyria, Ohio 44035
www.mpantenna.com

THIRD ANGLE



DIMENSIONS ARE IN INCHES

	NAME	DATE
DRAWN	BM	2/5/18

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MP ANTENNA, LTD. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MP ANTENNA LTD IS PROHIBITED.

DESCRIPTION:
2-3 GHz 1X Omni
Heavy Duty Radome

PART NO.
MP0923-1X-HD



MP Antenna, LTD. 440.387.5968 phone
147 Eady Court 440.545.3500 fax
Elyria, Ohio 44035 www.mpantenna.com
sales@mpantenna.com

Part Number: MP0923

model number: MP0923-1X-HD
product description: Impact Resistant 2.4 GHz Omni Antenna

Frequency: 2.45 GHz
Max Gain: 6dBi

