

Electrical Data

Part Number: MP0928 model number: MP0928-4X-HD

product description: Impact Resistant 5.8GHz Omni Antenna

Environmental Data

	frequency range:	4.9-6GHz	environmental cond.:	Outdoor
	gain:	6dBi*	operation temperature:	-40 to 85 deg C
	vswr:	<1.5:1	storage temperature:	-40 to 85 deg C
	horizontal pattern type:	Omni Directional	transport temperature:	-40 to 85 deg C
	vertical patter type:	Hemispheric	IP Rating:	IP67
	ground plane:	Built In	RoHS - REACH	Compliant
	min ground plane:	N/A		


General Data Mechanical Data

color:	Black	length:	5.5 in
antenna feeds:	Four	width:	5.5 in
coax length:	N/A	height:	1.8 in
coax type:	N/A	total height:	3.2 in
connector type:	N-Female	mounting type:	Surface Mount
polarization:	Multi-Polarized	hardware included: 1	Nuts and Washers
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization dive	nd polarization diversity,
construction:	Impact Resistant Delrin	performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.	

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com







440.387.5968 phone 440.545.3500 fax Elyria, Ohio 44035 www.mpantenna.com sales@mpantenna.com



Part Number: MP0928

model number: MP0928-4X-HD

product description: Impact Resistant 5.8 GHz Omni Antenna

