

Part Number: MPSL1300 model number: Various

product description: 1350-1440MHz Omni Directional UAV Drone Antenna

MPSL1300

Electrical Data Environmental Data

frequency range:	1350-1440MHz	environmental cond.:	Outdoor
gain:	3dBi	operation temperature:	-40 to 85 deg C
vswr:	<1.5:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Omni Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Full	IP Rating:	IP67
ground plane:	Built In	Rohs - Reach	Compliant

General Data


Mechanical Data

color:	Black	length:	0.75 in
antenna feeds:	One	width:	0.75 in
coax length:	1.5 in	height:	7.60 in
coax type:	RG402	mounting type:	Connector
connector type:	Various *SMA Male	hardware included:	N/A
polarization:	Multi-Polarized	weight: 1.2 oz	
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.	
construction:	ABS Aluminum		

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com







Elyria, Ohio 44035

MP Antenna, LTD.

147 Eady Court

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

Part Number: MPSL1300

model number: Various

product description: 1300MHz Omni Directional UAV Drone Antenna

Frequency: 1400MHz Max Gain: 3dBi

