

Electrical Data

Part Number: MP\$L2200 model number: Various

product description: 2200MHz Omni Directional UAV Drone Antenna

frequency range:	2200-2500MHz	environmental cond.:	Outdoor
gain:	4dBi	operation temperature:	-40 to 85 deg C
vswr:	<1.5:1	storage temperature:	-40 to 85 deg C
horizontal pattern type:	Omni Directional	transport temperature:	-40 to 85 deg C
vertical patter type:	Full	IP Rating:	IP67
ground plane:	Built In	Rohs - Reach	Compliant

Environmental Data

similar or higher laboratory gains.


General Data Mechanical Data

color:	Black	length:	1.0 in
antenna feeds:	One	width:	1.0 in
coax length:	3.5 in	height:	5.5 in
coax type:	RG402	mounting type:	Connector
connector type:	Various *SMA Male	hardware included:	N/A
polarization:	Multi-Polarized	weight:	1.1 oz
power:	50 Watts Input		
impedance:	50 ohms Nominal	* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with	
construction:	ABS Aluminum		

MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com








Part Number: MPSL2200

model number: Various

product description: 2200-2500MHz Omni Directional UAV Drone Antenna

Frequency: 2.4 GHz Max Gain: 4dBi



MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com