



MP Antenna, LTD.  
147 Eady Court  
Elyria, Ohio 44035

440.387.5968 phone  
440.545.3500 fax  
www.mpantenna.com  
sales@mpantenna.com

**Part Number: MPL3650**

model number: MPL3650-BL-A  
product description: 3650MHz Omni Directional UAV Drone Antenna

**Electrical Data**

**Environmental Data**

frequency range: 3550-3700MHz	environmental cond.: Outdoor
gain: 4dBi	operation temperature: -40 to 85 deg C
vswr: <1.5:1	storage temperature: -40 to 85 deg C
horizontal pattern type: Omni Directional	transport temperature: -40 to 85 deg C
vertical patter type: Full	IP Rating: IP67
ground plane: Built In	RoHS - REACH Compliant

**General Data**



**Mechanical Data**

color: Black	length: 1.0 in
antenna feeds: One	width: 1.0 in
coax length: 3.5 in	height: 5.5 in
coax type: RG402	mounting type: Connector
connector type: RPSMA Male	hardware included: N/A
polarization: Multi-Polarized	weight: 1.1 oz
power: 50 Watts Input	
impedance: 50 ohms Nominal	
construction: ABS Aluminum	

**\* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.**




Frequency Range	Connector Type	Color
3.55-3.7GHz	RP-SMA Male	Black



RG402 Type Coax

MP ANTENNA, LTD.  
147 Eady Court  
Elyria, Ohio 44035  
www.mpantenna.com



THIRD ANGLE DIMENSIONS ARE IN INCHES

	NAME	DATE
DRAWN	PS	8/26/20

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MP ANTENNA, LTD. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MP ANTENNA LTD IS PROHIBITED.

**DESCRIPTION:**  
3.65GHz Swarmlink UAV  
Antenna

**PART NO.**  
MPSL3650-BL-A



MP Antenna, LTD.  
147 Eady Court  
Elyria, Ohio 44035

440.387.5968 phone  
440.545.3500 fax  
www.mpantenna.com  
sales@mpantenna.com

**Part Number: MP3L3650**

model number: MP3L3650-BL-A  
product description: 3650GHz Omni Directional UAV Drone Antenna

Frequency: 3.65 GHz  
Max Gain: 4dBi

