

Part Number: MPSL5000

product description: 5-6 GHz Omni UAV Drone Antenna

model number: MPSL5000

## **Electrical Data**

frequency range:	5-6 GHz	IP rating:	IP66
gain:	5dBi	power:	50 Watts
vswr:	<1.7:1	impedance:	50 Ohms nominal
horizontal pattern type:	Omni	operational temp:	-30C to 85C
vertical patter type:	Full		
ground plane:	Built In		

## **General Data**

color: Black antenna feeds: One

coax length: See Specific Part Number

Drawing

coax type: 402 Series Semi Rigid

connector type: Various

polarization: Multi-Polarized

construction: ASA, Aluminum

hardware included: N/A

\* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.




440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com



<sup>\*</sup> Test performed on configuration: MPSL5000-BL-B

Frequency Range	Connector	Color
5-6 GHz	Various	Black



## Notes:

Referenced 3.5" Length Dependent on Connector Type

MP ANTENNA, LTD. 147 Eady Court Elyria, Ohio 44035 www.mpantenna.com	THIRD DIMENSIONS ARE IN INCHES		
		NAME	DATE
	DRAWN		5/14/2025

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF MP
ANTENNA, LTD. ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF MP ANTENNA
LTD IS PROHIBITED.

Description: 5-6 GHz Swarmlink UAV Antenna Model Number:

MPSL5000




MP Antenna, LTD. 147 Eady Court Elyria, Ohio 44035

440.387.5968 phone 440.545.3500 fax www.mpantenna.com sales@mpantenna.com

Part Number: MPSL5000 model number: MPSL5000

product description: 5-6 GHz Omni UAV Drone Antenna

Frequency: 5.15 GHz Peak Gain: 4.4 dBi



Frequency: 5.8 GHz Peak Gain: 5 dBi

