



MP Antenna, LTD.
147 Eady Court
Elyria, Ohio 44035

440.387.5968 phone
440.545.3500 fax
www.mpantenna.com
sales@mpantenna.com

Part Number: MPL5000

model number: Various
product description: 5000-6000MHz Omni Directional UAV Drone Antenna

Electrical Data

Environmental Data

frequency range: 5000-6000MHz	environmental cond.: Outdoor
gain: 4dBi	operation temperature: -40 to 85 deg C
vswr: <1.5:1	storage temperature: -40 to 85 deg C
horizontal pattern type: Omni Directional	transport temperature: -40 to 85 deg C
vertical patter type: Full	IP Rating: IP67
ground plane: Built In	RoHS - REACH Compliant

General Data



Mechanical Data

color: Black	length: 1.0 in
antenna feeds: One	width: 1.0 in
coax length: 3.5 in	height: 5.0 in
coax type: RG402	mounting type: Connector
connector type: Various *SMA Male	hardware included: N/A
polarization: Multi-Polarized	weight: 1.1 oz
power: 50 Watts Input	
impedance: 50 ohms Nominal	
construction: ABS Aluminum	


*** With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.**



Frequency Range	Connector Type	Color
5-6GHz	SMA Male	Black



MP ANTENNA, LTD.
147 Eady Court
Elyria, Ohio 44035
www.mpantenna.com



DIMENSIONS
ARE IN INCHES

	NAME	DATE
DRAWN	PS	8/26/20

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF MP
ANTENNA, LTD. ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF MP ANTENNA
LTD IS PROHIBITED.

DESCRIPTION:
5000MHz Swarmlink UAV
Antenna

PART NO.
MPSL5000-BL-B



MP Antenna, LTD.
147 Eady Court
Elyria, Ohio 44035

440.387.5968 phone
440.545.3500 fax
www.mpantenna.com
sales@mpantenna.com

Part Number: MPL5000

model number: Various
product description: 5000-6000MHz Omni Directional UAV Drone Antenna

Frequency: 5.8 GHz
Max Gain: 4dBi

